

OBED MOUNTAIN MINE
TABLE 10 ATHABASCA RIVER - DOWNSTREAM 20 KM TO 280 KM

		Location Date	ATR 1105HP 05-Nov-13	ATR 1105MP 05-Nov-13	ATR 1105PP 05-Nov-13	ATR 1105TP 05-Nov-13	ATR 1106HP 06-Nov-13	ATR 1106TP 06-Nov-13	ATR AMOCORDBR 05-Nov-13	ATR HWY33BR 04-Nov-13	ATR HWY43BR 04-Nov-13	ATR HWY43BR 05-Nov-13
Method Type	Chemical	Unit	MDL									
	1,1,2-trichloroethane	µg/L	2	<2	<2	<2	<2	<2	<2	<2	-	<2
	1,1-dichloroethane	µg/L	1	<1	<1	<1	<1	<1	<1	<1	<1	<1
	1,1-dichloroethene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	1,2,3-trichloropropane	µg/L	5	<5	<5	<5	<5	<5	<5	<5	-	<5
	1,2-dibromoethane	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	1,2-dichlorobenzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	1,2-dichloroethane	µg/L	2	<2	<2	<2	<2	<2	<2	<2	-	<2
	1,2-dichloropropane	µg/L	2	<2	<2	<2	<2	<2	<2	<2	-	<2
	1,3-dichlorobenzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	1,4-dichlorobenzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Methyl Ethyl Ketone	µg/L	100	<100	<100	<100	<100	<100	<100	<100	-	<100
	2-hexanone (MBK)	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	4-Methyl-2-pentanone	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	Acetone	mg/L	0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	-	<0.1
	Acrolein	µg/L	100	<100	<100	<100	<100	<100	<100	<100	-	<100
	Acrylonitrile	µg/L	100	<100	<100	<100	<100	<100	<100	<100	-	<100
	Benzene	mg/L	0.0005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.001
	Toluene	mg/L	0.0005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.001
	Bromodichloromethane	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Bromoform	µg/L	3	<3	<3	<3	<3	<3	<3	<3	-	<3
	Bromomethane	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	Carbon disulfide	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Carbon tetrachloride	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Chlorobenzene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Chlorodibromomethane	µg/L	3	<3	<3	<3	<3	<3	<3	<3	-	<3
	Chloroethane	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	Chloroform	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Chloromethane	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	cis-1,2-dichloroethene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	cis-1,3-dichloropropene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	cis-1,4-Dichloro-2-butene	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	Dibromomethane	µg/L	3	<3	<3	<3	<3	<3	<3	<3	-	<3
	Dichlorodifluoromethane	µg/L	3	<3	<3	<3	<3	<3	<3	<3	-	<3
	Dichloromethane	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Ethanol	µg/L	300	<300	<300	<300	<300	<300	<300	<300	-	<300
	Ethyl methacrylate	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	Ethylbenzene	mg/L	0.0005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.001
	Xylene (m & p)	mg/L	0.0005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.001
	Xylene (o)	mg/L	0.0005	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.0005	<0.001
	Xylenes Total	µg/L	0.71	-	-	-	-	-	-	-	<0.71	-
	Iodomethane	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Styrene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Trichloroethene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Tetrachloroethene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	trans-1,2-dichloroethene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	trans-1,3-dichloropropene	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	trans-1,4-Dichloro-2-butene	µg/L	10	<10	<10	<10	<10	<10	<10	<10	-	<10
	Trichlorofluoromethane	µg/L	1	<1	<1	<1	<1	<1	<1	<1	-	<1
	Vinyl acetate	µg/L	100	<100	<100	<100	<100	<100	<100	<100	-	<100
	Vinyl chloride	µg/L	2	<2	<2	<2	<2	<2	<2	<2	-	<2
	TVH	mg/L	0.1	-	-	-	-	-	-	-	<0.1	-
	TVH: (C6-C10 / BTEX CORRECTED)	mg/L	0.1	-	-	-	-	-	-	-	<0.1	-

Notes
MDL - Method Detection Limit
- "Sample not analyzed for this parameter"
< - "result is less than the MDL. No detectable concentration was measured"

OBED MOUNTAIN MINE
TABLE 10 ATHABASCA RIVER - DOWNSTREAM 20 KM TO 280 KM

Method Type	Chemical	Unit	MDL	Location	ATR HWY658BR	ATR HWY658BR	ATR HWY947BR	ATR LYNXCK	ATR WINDFALLBR
				Date	04-Nov-13	05-Nov-13	05-Nov-13	04-Nov-13	05-Nov-13
Aggregate Organics	Hydrocarbons, Recoverable (I.R.)	mg/L	1	-	<1	<1	-	-	<1
	BOD	mg/L	2	-	<2	2.2	<2	<2	<2
	Oil and Grease	mg/L	1	1.4	-	-	<1	-	-
	Phenols (4AAP)	µg/L	1	<1	<1	<1	<1	<1	<1
Anions and Nutrients	Alkalinity (T) as CaCO3	mg/L	2	165	162	175	121	144	144
	Ammonia	mg/L	0.05	0.124	<0.05	<0.05	<0.05	<0.05	<0.05
	Bicarbonate	mg/L	5	201	198	213	147	176	176
	Carbonate	mg/L	5	<5	<5	<5	<5	<5	<5
	Chloride	mg/L	0.5	1.98	2.65	3.73	2.92	2.42	2.42
	Electrical Conductivity (lab)	µS/cm	0.0002	0.413	0.413	0.416	0.382	0.391	0.391
	Hydroxide	mg/L	5	<5	<5	<5	<5	<5	<5
	Ionic Balance	%		102	97.5	98	102	97.6	97.6
	Kjeldahl Nitrogen Total	mg/L	0.2	1.39	<0.2	<0.2	<0.2	<0.2	<0.2
	Nitrate (as N)	mg/L	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
	Nitrate + Nitrite-N	mg/L	0.07	<0.071	<0.071	<0.071	<0.071	<0.071	<0.071
	Nitrite (as N)	mg/L	0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
	pH (Lab)	pH	0.1	8.09	8.1	8.13	7.97	8.12	8.12
	Phosphorus	mg/L	0.001	0.197	0.0325	0.0089	<0.02	0.0095	0.0095
	Phosphorus (Filtered)	mg/L	0.001	-	0.0304	0.0092	-	0.0093	0.0093
	Sulphate	mg/L	0.5	55.2	55.4	47	70.7	59.9	59.9
	Sulphide	mg/L	0.002	0.0027	<0.002	<0.002	0.0022	<0.002	<0.002
	Hardness as CaCO3	mg/L		193	191	201	182	186	186
	TDS	mg/L		241	235	238	219	223	223
Cyanides	Cyanide Total	mg/L	0.002	<0.002	<0.002	<0.002	<0.002	<0.002	
Dissolved Metals	Aluminium (Filtered)	mg/L	0.001	0.012	0.0143	0.007	0.013	0.0087	0.0087
	Antimony (Filtered)	mg/L	0.0001	<0.0004	<0.0001	<0.0001	<0.0004	<0.0001	<0.0001
	Arsenic (Filtered)	mg/L	0.0001	0.00046	0.00031	0.00026	<0.0004	0.00019	0.00019
	Barium (Filtered)	mg/L	0.00005	0.105	0.092	0.0922	0.0564	0.0742	0.0742
	Beryllium (Filtered)	mg/L	0.0005	<0.001	<0.0005	<0.0005	<0.001	<0.0005	<0.0005
	Bismuth (Filtered)	mg/L	0.00005	-	<0.00005	<0.00005	-	<0.00005	<0.00005
	Boron (hot water ext) (Filtered)	mg/L	0.01	<0.05	0.011	<0.01	<0.05	<0.01	<0.01
	Cadmium (Filtered)	mg/L	0.00001	<0.00005	<0.00001	<0.00001	<0.00005	<0.00001	<0.00001
	Calcium (Filtered)	mg/L	0.02	54.7	53.3	56.9	48.7	50.3	50.3
	Chromium (III+VI) (Filtered)	mg/L	0.0001	<0.005	<0.0001	<0.0001	<0.005	<0.0001	<0.0001
	Cobalt (Filtered)	mg/L	0.0001	<0.002	<0.0001	<0.0001	<0.002	<0.0001	<0.0001
	Copper (Filtered)	mg/L	0.0001	0.0026	0.00032	0.00031	<0.001	0.00016	0.00016
	Iron (Filtered)	mg/L	0.01	<0.01	<0.01	0.017	<0.01	<0.01	<0.01
	Lead (Filtered)	mg/L	0.00005	0.00015	<0.00005	<0.00005	<0.0001	<0.00005	<0.00005
	Lithium (Filtered)	mg/L	0.005	0.0057	0.0047	0.0051	0.003	0.0036	0.0036
	Magnesium (Filtered)	mg/L	0.005	13.7	14	14.3	14.6	14.7	14.7
	Manganese (Filtered)	mg/L	0.00005	0.0089	0.00968	0.0229	0.0078	0.00476	0.00476
	Molybdenum (Filtered)	mg/L	0.00005	<0.005	0.00102	0.0009	<0.005	0.000959	0.000959
	Nickel (Filtered)	mg/L	0.0001	<0.002	0.00043	0.00036	<0.002	0.00024	0.00024
	Phosphorus (Filtered)	mg/L	0.3	-	<0.3	-	-	<0.3	<0.3
	Potassium (Filtered)	mg/L	0.05	0.93	0.82	0.79	0.67	0.66	0.66
	Selenium (Filtered)	mg/L	0.0001	<0.0004	0.00032	0.00026	<0.0004	0.00033	0.00033
	Silicon (Filtered)	µg/L	50	-	2720	2980	-	2460	2460
	Silver (Filtered)	mg/L	0.00001	<0.0001	<0.00001	<0.00001	<0.0001	<0.00001	<0.00001
	Sodium (Filtered)	mg/L	0.05	15.6	12.1	10.3	8.7	8.3	8.3
	Strontium (Filtered)	mg/L	0.0001	-	0.478	0.435	-	0.474	0.474
	Thallium (Filtered)	mg/L	0.00005	<0.0001	<0.00005	<0.00005	<0.0001	<0.00005	<0.00005
	Tin (Filtered)	mg/L	0.0001	<0.05	<0.0001	<0.0001	<0.05	<0.0001	<0.0001
	Titanium (Filtered)	mg/L	0.0003	<0.001	<0.0003	<0.0003	<0.001	<0.0003	<0.0003
	Uranium (Filtered)	µg/L	0.01	1.14	0.715	0.681	0.58	0.629	0.629
	Vanadium (Filtered)	mg/L	0.0001	<0.001	0.00019	0.00012	<0.001	0.00012	0.00012
	Zinc (Filtered)	mg/L	0.001	0.0036	0.0011	<0.001	<0.002	0.0013	0.0013
	Field	Turbidity	NTU		1382	-	-	-	-
Hydrocarbons	F2 (C10-C16 Hydrocarbons)	mg/l	0.25	<0.25	-	-	-	-	-
Organic / Inorganic Carbon	Carbon	mg/L	1	-	5.3	3.9	-	3	3
	Dissolved Organic Carbon (Filtered)	mg/L	1	-	5.1	3.7	-	2.9	2.9
Organic Parameters	Acrylamide	µg/L	5	-	-	-	-	-	-
	Naphthenic Acid	mg/L	1	<1	<1	<1	-	<1	<1
Physical Tests	Dissolved Oxygen (Filtered)	mg/L	0.5	-	-	-	26.9	-	-
	TDS (Filtered)	mg/L	10	-	279	264	-	255	255
	Total Suspended Solids	mg/L	3	876	60	9	6	11	11
	Turbidity	NTU	0.1	636	43.6	6.92	5.81	8.71	8.71
Polycyclic Aromatic Hydrocarbons	B(a)P Total Potency Equivalent	mg/L	0.00001	<0.00001	-	-	-	-	-
	Benzz[ghi]fluoranthene	mg/L	0.00001	<0.00001	<0.00001	<0.00001	-	<0.00001	<0.00001
	C4 Benzenzanthracenes/Chrysenes	µg/L	0.04	-	<0.04	<0.04	-	<0.04	<0.04
	C4 Dibenzothiophenes	µg/L	0.04	-	<0.04	<0.04	-	<0.04	<0.04
	C4 Fluoranthenes/Pyrenes	µg/L	0.04	-	<0.04	<0.04	-	<0.04	<0.04
	C4 Naphthalenes	µg/L	0.04	-	<0.04	<0.04	-	<0.04	<0.04
	C4 Phenanthrenes/Anthracenes	µg/L	0.04	-	0.255	<0.04	-	0.169	0.169
	1,1-Biphenyl	µg/L	0.01	-	<0.01	<0.01	-	<0.01	<0.01
	1-Methylnaphthalene	µg/L	0.01	-	<0.01	<0.01	-	<0.01	<0.01
	2-methylnaphthalene	µg/L	0.01	-	<0.01	<0.01	-	<0.01	<0.01

Notes
MDL - Method Detection Limit
- "Sample not analyzed for this parameter"
< - "result is less than the MDL. No detectable concentration was measured"

OBED MOUNTAIN MINE
TABLE 10 ATHABASCA RIVER - DOWNSTREAM 20 KM TO 280 KM

		Location	ATR HWY658BR	ATR HWY658BR	ATR HWY947BR	ATR LYNXCK	ATR WINDFALLBR	
		Date	04-Nov-13	05-Nov-13	05-Nov-13	04-Nov-13	05-Nov-13	
Method Type	Chemical	Unit	MDL					
	Acenaphthene	µg/L	0.01	<0.02	<0.01	<0.01	-	<0.01
	Acenaphthylene	µg/L	0.01	<0.02	<0.01	<0.01	-	<0.01
	Anthracene	µg/L	0.01	0.017	<0.01	<0.04	-	<0.04
	Benz(a)anthracene	µg/L	0.01	<0.01	<0.01	<0.01	-	<0.01
	Benzo(a) pyrene	µg/L	0.005	<0.005	<0.01	<0.01	-	<0.01
	Acridine	mg/L	0.00001	-	<0.00001	<0.00001	-	<0.00001
	Benzo(e)pyrene	µg/L	0.01	-	<0.01	<0.01	-	<0.01
	Benzo(g,h,i)perylene	µg/L	0.01	<0.02	<0.01	<0.01	-	<0.01
	Benzo(k)fluoranthene	µg/L	0.01	<0.01	<0.01	<0.01	-	<0.01
	C1 Acenaphthenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C1 Benz(a)Anthracenes/Chrysenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C1 Benzofluoranthenes/Benzopyrenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	Chrysene	ug/L	0.01	<0.02	<0.01	<0.01	-	<0.01
	C1 Biphenyls	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C1 Dibenzothiophenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C1 Fluorenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	Dibenz(a,h)anthracene	µg/L	0.005	<0.005	<0.01	<0.01	-	<0.01
	Dibenzothiophene	ug/L	0.01	-	<0.01	<0.01	-	<0.01
	Fluoranthene	µg/L	0.01	0.022	<0.01	<0.01	-	<0.01
	Fluorene	µg/L	0.01	0.022	<0.01	<0.01	-	<0.01
	Indeno(1,2,3-c,d)pyrene	µg/L	0.01	<0.01	<0.01	<0.01	-	<0.01
	Naphthalene	µg/L	0.05	<0.05	<0.05	<0.05	-	<0.05
	Perylene	µg/L	0.01	-	<0.01	<0.01	-	<0.01
	Phenanthrene	µg/L	0.01	<0.05	<0.01	<0.01	-	<0.01
	Pyrene	µg/L	0.01	0.024	<0.01	<0.04	-	<0.04
	Quinoline	µg/L	0.01	-	<0.01	<0.01	-	<0.01
	Retene	ug/L	0.01	-	0.255	0.023	-	0.169
	C2 Benz(a)Anthracenes/Chrysenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C2 Benzofluoranthenes/Benzopyrenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C2 Biphenyls	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C2 Dibenzothiophenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C2 Fluoranthenes/Pyrenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C2 Naphthalenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C2 Phenanthrenes/Anthracenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C2 Fluorenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C3 Benzantracenes/Chrysenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C3 Dibenzothiophenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C3 Fluoranthenes/Pyrenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C3 Fluorenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C3 Naphthalenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
	C3 Phenanthrenes/Anthracenes	ug/L	0.04	-	<0.04	<0.04	-	<0.04
Total Metals	Aluminium	mg/L	0.003	12.6	0.982	0.187	0.169	0.342
	Antimony	mg/L	0.0001	<0.0004	<0.0001	<0.0001	<0.0004	<0.0001
	Arsenic	mg/L	0.0001	0.00533	0.00053	0.00041	<0.0004	0.00027
	Barium	mg/L	0.00005	0.855	0.135	0.104	0.0616	0.0893
	Beryllium	mg/L	0.0005	<0.001	<0.0005	<0.0005	<0.001	<0.0005
	Bismuth	mg/L	0.00005	-	<0.00005	<0.00005	-	<0.00005
	Boron (hot water ext)	mg/L	0.01	<0.05	0.01	<0.01	<0.05	<0.01
	Cadmium	mg/L	0.00001	0.000232	0.000017	<0.00001	<0.00005	<0.00001
	Calcium	mg/L	0.02	62.4	51.3	58.6	48.9	54
	Chromium (III+VI)	mg/L	0.0001	0.0078	0.00068	0.00026	<0.005	0.00029
	Cobalt	mg/L	0.0001	0.0036	0.00024	0.00011	<0.002	0.00011
	Copper	mg/L	0.0001	0.0133	0.0012	0.00055	<0.001	0.00053
	Iron	mg/L	0.01	9.08	0.589	0.377	0.213	0.251
	Lead	mg/L	0.00005	0.0122	0.000809	0.000167	0.0002	0.000257
	Lithium	mg/L	0.005	0.012	<0.005	0.0053	<0.01	<0.005
	Magnesium	mg/L	0.005	17.3	14	14.9	14.6	14.7
	Manganese	mg/L	0.00005	0.158	0.0221	0.0302	0.0133	0.0106
	Mercury	ug/L	0.0005	<0.1	<0.02	<0.02	<0.1	<0.02
	Molybdenum	mg/L	0.00005	<0.005	0.000938	0.000982	<0.005	0.00104
	Nickel	mg/L	0.0001	0.0103	0.00104	0.00053	<0.002	0.00048
	Phosphorus	mg/L	0.3	-	<0.3	<0.3	-	<0.3
	Potassium	mg/L	0.05	2.28	0.887	0.826	0.71	0.717
	Selenium	mg/L	0.0001	0.00068	0.0003	0.00025	<0.0004	0.0003
	Silicon	mg/L	50	-	4910	3440	-	3270
	Silver	mg/L	0.00001	0.00013	<0.00001	<0.00001	<0.0001	<0.00001
	Sodium	mg/L	0.05	15	11.8	11	8.4	8.45
	Strontium	mg/L	0.0001	-	0.469	0.456	-	0.506
	Thallium	mg/L	0.00005	0.00013	<0.00005	<0.00005	<0.0001	<0.00005
	Tin	mg/L	0.0001	<0.05	<0.0001	<0.0001	<0.05	<0.0001
	Titanium	mg/L	0.0003	0.152	0.0229	0.00446	0.0037	0.00801
	Uranium	µg/L	0.01	3.98	0.871	0.739	0.59	0.702
	Vanadium	mg/L	0.0001	0.014	0.00129	0.00056	<0.001	0.00062
	Zinc	mg/L	0.003	0.0509	0.0059	<0.003	0.0093	<0.003
Volatile Organic Compounds	1,1,1-trichloroethane	µg/L	1	-	<1	-	-	<1
	1,1,2,2-tetrachloroethane	µg/L	20	-	<20	<20	-	<20

Notes
MDL - Method Detection Limit
- "Sample not analyzed for this parameter"
< - "result is less than the MDL. No detectable concentration was measured"

OBED MOUNTAIN MINE
TABLE 10 ATHABASCA RIVER - DOWNSTREAM 20 KM TO 280 KM

		Location	ATR HWY658BR	ATR HWY658BR	ATR HWY947BR	ATR LYNXCK	ATR WINDFALLBR	
		Date	04-Nov-13	05-Nov-13	05-Nov-13	04-Nov-13	05-Nov-13	
Method Type	Chemical	Unit	MDL					
	1,1,2-trichloroethane	µg/L	2	-	<2	<2	-	<2
	1,1-dichloroethane	µg/L	1	-	<1	<1	-	<1
	1,1-dichloroethene	µg/L	1	-	<1	<1	-	<1
	1,2,3-trichloropropane	µg/L	5	-	<5	<5	-	<5
	1,2-dibromoethane	µg/L	1	-	<1	<1	-	<1
	1,2-dichlorobenzene	µg/L	1	-	<1	<1	-	<1
	1,2-dichloroethane	µg/L	2	-	<2	<2	-	<2
	1,2-dichloropropane	µg/L	2	-	<2	<2	-	<2
	1,3-dichlorobenzene	µg/L	1	-	<1	<1	-	<1
	1,4-dichlorobenzene	µg/L	1	-	<1	<1	-	<1
	Methyl Ethyl Ketone	µg/L	100	-	<100	<100	-	<100
	2-hexanone (MBK)	µg/L	10	-	<10	<10	-	<10
	4-Methyl-2-pentanone	µg/L	10	-	<10	<10	-	<10
	Acetone	mg/L	0.1	-	<0.1	<0.1	-	<0.1
	Acrolein	µg/L	100	-	<100	<100	-	<100
	Acrylonitrile	µg/L	100	-	<100	<100	-	<100
	Benzene	mg/L	0.0005	<0.0005	<0.001	<0.001	<0.0005	<0.001
	Toluene	mg/L	0.0005	<0.0005	<0.001	<0.001	<0.0005	<0.001
	Bromodichloromethane	µg/L	1	-	<1	<1	-	<1
	Bromoform	µg/L	3	-	<3	<3	-	<3
	Bromomethane	µg/L	10	-	<10	<10	-	<10
	Carbon disulfide	µg/L	1	-	<1	<1	-	<1
	Carbon tetrachloride	µg/L	1	-	<1	<1	-	<1
	Chlorobenzene	µg/L	1	-	<1	<1	-	<1
	Chlorodibromomethane	µg/L	3	-	<3	<3	-	<3
	Chloroethane	µg/L	10	-	<10	<10	-	<10
	Chloroform	µg/L	1	-	<1	<1	-	<1
	Chloromethane	µg/L	10	-	<10	<10	-	<10
	cis-1,2-dichloroethene	µg/L	1	-	<1	<1	-	<1
	cis-1,3-dichloropropene	µg/L	1	-	<1	<1	-	<1
	cis-1,4-Dichloro-2-butene	µg/L	10	-	<10	<10	-	<10
	Dibromomethane	µg/L	3	-	<3	<3	-	<3
	Dichlorodifluoromethane	µg/L	3	-	<3	<3	-	<3
	Dichloromethane	µg/L	1	-	<1	<1	-	<1
	Ethanol	µg/L	300	-	<300	<300	-	<300
	Ethyl methacrylate	µg/L	10	-	<10	<10	-	<10
	Ethylbenzene	mg/L	0.0005	<0.0005	<0.001	<0.001	<0.0005	<0.001
	Xylene (m & p)	mg/L	0.0005	<0.0005	<0.001	<0.001	<0.0005	<0.001
	Xylene (o)	mg/L	0.0005	<0.0005	<0.001	<0.001	<0.0005	<0.001
	Xylenes Total	µg/L	0.71	<0.71	-	-	<0.71	-
	Iodomethane	µg/L	1	-	<1	<1	-	<1
	Styrene	µg/L	1	-	<1	<1	-	<1
	Trichloroethene	µg/L	1	-	<1	<1	-	<1
	Tetrachloroethene	µg/L	1	-	<1	<1	-	<1
	trans-1,2-dichloroethene	µg/L	1	-	<1	<1	-	<1
	trans-1,3-dichloropropene	µg/L	1	-	<1	<1	-	<1
	trans-1,4-Dichloro-2-butene	µg/L	10	-	<10	<10	-	<10
	Trichlorofluoromethane	µg/L	1	-	<1	<1	-	<1
	Vinyl acetate	µg/L	100	-	<100	<100	-	<100
	Vinyl chloride	µg/L	2	-	<2	<2	-	<2
	TVH	mg/L	0.1	<0.1	-	-	-	-
	TVH: (C6-C10 / BTEX CORRECTED)	mg/L	0.1	<0.1	-	-	-	-

Notes
MDL - Method Detection Limit
- "Sample not analyzed for this parameter"
< - "result is less than the MDL. No detectable concentration was measured"